



Formica Availability Guide - September 2018

		Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300	3595x1395				
Décor	Structure	Finish													
A	Aged Ash	Woodgrain			Naturelle							PF 6mm	✂	=	
	Aged Walnut	Woodgrain	☐	Velour								PF 6mm	✂	=	
	Alpine Marble	Stone	☐	Velour								PF 6mm	✂		
	Alpine Marble	Stone			AR Plus							PF 8mm	✂		
	Alpino	Solid						AR Plus				-			○
	Amaretto Stone	Stone	☐	Velour								PF 6mm	✂		○
	Amaretto Stone	Stone			AR Plus							PF 8mm	✂		
	Antique Wiluna White	Solid	☐	Velour								PF 10mm	✂	=	
	Antique Wiluna White	Solid			AR Plus							PF 8mm	✂		
	Antler	Solid	☐	Velour								PF 10mm	✂		
	Arctic Stone	Stone	☐	Velour								PF 6mm	✂		
	Ash Woodline	Woodgrain	☐	Velour								PF 6mm	✂	=	
	Asphalt	Solid	☐	Velour								PF 10mm	✂		
	Asphalt	Solid			AR Plus							PF 8mm	✂		
	Baikal	Solid	☐	Velour								PF 10mm	✂	=	
	Basalt Slate	Stone			Honed							PF 6mm	✂		
	Basalt Slate	Stone			Velour							PF 6mm	✂		
	Bianca Luna	Stone						Matt				PF 8mm	✂*		☒
Bianca Luna	Stone						GlossPlus				PF 8mm	✂*		☒	
Black	Solid	☐	Velour							ColorCore	PF 10mm	✂	=		
Black	Solid	☐									-				
Black	Solid	☐								ColorCore	PF 8mm	✂		◇	
Black Fusion	Pattern						Satin			ARtouch	PF 8mm	✂			
Blackened Legno	Woodgrain			Naturelle							PF 6mm	✂	=		
Black Finestone	Pattern			AR Plus							PF 8mm	✂			
Blackstone	Pattern	☐	Velour								PF 8mm	✂		○	
Blackstone	Pattern			AR Plus							PF 8mm	✂			
Bliss Cinder	Pattern	☐	Velour								PF 8mm	✂	=		
Bliss Shitake	Pattern	☐	Velour								PF 6mm	✂	=		
Blue Moon	Solid	☐	Velour								PF 6mm	✂			
Bright White	Solid									ColorCore	-				
Brushed Aluminium	Metallic				Metallic						-	✂			
Brushed Brass	Metallic				Metallic						-	✂			
Brushed Bronze	Metallic				Metallic						-	✂			
Brushed Copper	Metallic				Metallic						-	✂			
Brushed Nickel	Pattern	☐	Velour								PF 6mm	✂	=		
Brushed Pewter	Metallic				Metallic						-	✂			
Brushed Silver	Pattern	☐	Velour								PF 8mm	✂	=		
Brushed Zinc	Pattern	☐	Velour								PF 8mm	✂			
Bud	Solid	☐	Velour								PF 10mm	✂			
Café Crema	Stone			AR Plus							PF 8mm	✂			
Carnaval	Solid						AR Plus				-			◆	
Carerra Marble	Stone						GlossPlus				PF 8mm	✂*		☒^	
Carerra Marble	Stone						Matt				PF 8mm	✂*		☒	
Cassis	Solid						AR Plus				-			◆	
Charred Oak	Woodgrain	☐	Velour								PF 6mm	✂	=		
Chrome Yellow	Solid						AR Plus				-			◆	
Cinnamon Ash	Woodgrain	☐	Velour								PF 6mm	✂	=		
Clementine	Solid						AR Plus				-			◆	
Cocoa Sand	Pattern	☐	Velour								PF 6mm	✂			
Concrete Stone	Stone	☐	Velour								PF 6mm	✂		○	
Cosmopolitan Concrete	Stone			Riverwash							PF 6mm	✂			



Formica Availability Guide - September 2018

		Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300	3595x1395				
	Décor	Structure	Finish												
	Crystal White	Solid				Velour						PF 10mm	✂		
	Crystal White	Solid				AR Plus						PF 8mm	✂		
	Crystal White	Solid						AR Plus				-			○
D	Dawn Grey	Solid	☐	Velour								PF 8mm	✂	=	
	Deep Anthracite	Solid	☐	Velour								PF 10mm	✂		
	Diamond Black	Solid						AR Plus				-			○
	Dolce Vita	Stone					Satin					PF 8mm	✂		
E	Ebony Oxide	Stone	☐	Velour								PF 8mm	✂		○
	Earth	Solid								ARtouch		PF 8mm	✂		
	Elemental Graphite	Stone				Honed						PF 6mm	✂		
	Elemental Concrete	Stone	☐	Velour								PF 6mm	✂		○
	Energise	Solid	☐	Velour								PF 8mm	✂	=	
	Finesse Sand	Pattern	☐	Velour								PF 6mm	✂		
F	Ferro Grafite	Stone					Satin					PF 8mm	✂*		☒
	Ferro Grafite	Stone					GlossPlus					PF 8mm	✂*		☒
	Finesse Stone	Pattern	☐	Velour								PF 6mm	✂		
	Finesse Taupe	Pattern	☐	Velour								PF 6mm	✂		
	Fini Wenge	Woodgrain	☐	Velour								PF 8mm	✂		
	Flinders Black	Stone	☐	Velour								PF 8mm	✂		○
	Flinders Black	Stone				AR Plus						PF 8mm	✂		○
	Flinders Blue	Stone	☐	Velour								PF 6mm	✂		
	Flint Crystal	Stone	☐	Velour								PF 6mm	✂		○
	Flint Crystal	Stone				AR Plus						PF 8mm	✂		
	Folkestone	Solid						ColorCore				-			
	Folkestone	Solid					AR Plus					-			○
	Folkestone	Solid								ARtouch		PF 8mm	✂		
	French Sandstone	Stone	☐	Velour								PF 6mm	✂		
G	Glossy White	Solid					Magnetic					-			
	Graphite	Solid	☐	Velour								PF 8mm	✂		
	Grey Finestone	Pattern	☐	Velour								PF 6mm	✂		○
	Grey Kashmir	Stone				AR Plus						PF 8mm	✂		
	Ice Quarstone	Stone				AR Plus						PF 8mm	✂		
I	Indian Sage	Solid	☐	Velour								PF 8mm	✂		
	Ink	Solid	☐	Velour								PF 8mm	✂		
	Iron Ore	Solid	☐	Velour								PF 8mm	✂	=	
	Iron Ore	Solid				GlossPlus						PF 8mm	✂		
	Ironstone	Pattern	☐	Velour								PF 6mm	✂	=	
	Jamocho Granite	Stone				Etchings						PF 6mm	✂		
J	Jarra Legno	Woodgrain				Naturelle						PF 6mm	✂	=	
	Jet Sequioa	Pattern					GlossPlus					PF 8mm	✂		☒
	Jet Sequioa	Pattern					Matt					PF 8mm	✂		☒
	Juicy Pink	Solid						AR Plus				-			◆
	Just Blue	Solid	☐	Velour								PF 10mm	✂		
L	Leaf Green	Solid		Velour								PF 10mm	✂		
	Malibu	Solid	☐	Velour								PF 10mm	✂		
	Marbled Cappuccino	Pattern					GlossPlus					PF 8mm	✂		
	Marine Blue	Solid						AR Plus				-			◆
	Maui	Solid						AR Plus				-			◆
	Matt Black	Solid					Magnetic					-			
	Memphis Blue	Solid	☐	Velour								PF 8mm	✂	=	
	Memphis Green	Solid		Velour								PF 10mm	✂	=	
M	Memphis Red	Solid	☐	Velour								PF 8mm	✂	=	



Formica Availability Guide - September 2018

		Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300	3595x1395				
	Décor	Structure	Finish												
M	Metropolitan Concrete	Pattern	□	Velour								PF 6mm	✂		○
	Metropolitan Concrete	Pattern			AR Plus							PF 8mm	✂		
	Mineral Spa	Stone	□	Velour								PF 6mm	✂		
	Mist Grey	Solid	□	Velour								PF 8mm	✂		
	Mist Grey	Solid			AR Plus							PF 8mm	✂		
	Mocca Pearl	Stone			AR Plus							PF 8mm	✂		
	Mocha	Solid	□	Velour								PF 8mm	✂		
	Neo Cloud	Pattern	□								ARtouch	PF 8mm			△
	Neo Cyclone	Pattern	□								ARtouch	PF 8mm			△
	Neo Tornado	Pattern	□								ARtouch	PF 8mm			△
N	New Stainless Steel	Pattern	□	Velour							PF 8mm	✂	=		
	NightShade	Solid								ARtouch	PF 8mm	✂			
O	Oiled Legno	Woodgrain			Naturelle Etchings						PF 6mm	✂	=		
	Perlato Granite	Stone									PF 6mm	✂		○	
P	Pietro Nero	Stone	□	Velour							PF 6mm	✂		○	
	Pietro Nero	Stone			AR Plus						PF 8mm	✂			
	Planked Urban Oak	Woodgrain		Velour							PF 6mm		=		
	Plex Argent	Metallic						Metallic			-				
	Plex Gold	Metallic						Metallic			-				
	Plex Graphite	Metallic						Metallic			-				
	Polished Aluminium	Metallic									-		✂		
	Pomegranate	Solid	□	Velour								PF 10mm	✂		
	Prestige Walnut	Woodgrain	□	Velour								PF 8mm	✂		
	Provenance	Stone	□	Velour								PF 6mm	✂		
R	Pure Marble	Stone	□	Velour							PF 6mm	✂		○	
	Pure Marble	Stone			AR Plus						PF 8mm	✂		○	
	Raw Birch Ply	Woodgrain	□	Velour							PF 6mm	✂	=		
	Refined Oak	Woodgrain	□	Velour							PF 6mm	✂	=		
	Rock Salt	Pattern	□	Velour							PF 6mm	✂	=		
	Salvage Planked Elm	Woodgrain	□	Velour							PF 6mm	✂	=		
	Sand Crystal	Stone	□	Velour							PF 6mm	✂			
	Sarum Grey	Solid	□	Velour								PF 10mm	✂		
	Seal Grey	Solid	□	Velour								PF 6mm	✂	=	
	Silver Shadow	Print	□	Velour								PF 8mm	✂		
S	Silver Strata	Pattern	□	Velour							PF 6mm	✂	=		
	Silver Strata	Pattern			AR Plus						PF 8mm	✂	=		
	Silver Oak Herringbone	Pattern	□	Velour							PF 8mm	✂			
	Smoke Strand	Woodgrain	□	Velour							PF 6mm	✂	=		
	Snowdrift	Solid	□	Velour							PF 8mm	✂	=	○	
	Snowdrift	Solid			AR Plus						PF 8mm	✂			
	Soapstone Sequoia	Pattern						GlossPlus				PF 8mm			
	Soft Maple	Woodgrain	□	Velour								PF 6mm	✂		
	Storm	Solid	□	Velour								PF 10mm	✂	=	
	Storm	Solid	□					AR Plus				-			○
T	Storm	Solid	□							ARtouch	PF 8mm			◇	
	Streetlight	Solid	□	Velour							PF 8mm	✂	=		
	Streetlight	Solid			AR Plus						PF 8mm	✂			
	Tasmanian Ash	Woodgrain	□	Velour							PF 6mm	✂			
	Tropical Blue	Solid						AR Plus			-			◆	
	Tuscan Marble	Stone	□	Velour							PF 6mm	✂			
	U	Umbrian Granite	Stone	□	Velour							PF 6mm	✂		
		Velveteen	Solid	□	Velour							PF 8mm	✂	=	



Formica Availability Guide - September 2018

		Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging	
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300	3595x1395					
	Décor	Structure	Finish													
V	Velveteen	Solid			AR Plus							PF 8mm	✂			
	Vibrant Green	Solid					AR Plus					-			◆	
W	Warm White	Solid	□	Velour								PF 10mm	✂	=	○	
	Warm White	Solid			AR Plus							PF 8mm	✂			
	Warm White	Solid	□							ARtouch		PF 8mm			◇	
	Wasabi	Solid					AR Plus					-			◆	
	Washed Timber	Woodgrain	□	Velour								PF 6mm	✂	=		
	Waxed Maple	Woodgrain	□	Velour								PF 6mm	✂	=		
	Weathered Cement	Pattern					Satin					PF 8mm	✂			☒
	White	Solid							ColorCore			-				
	White	Solid									ARtouch	PF 8mm	✂			◇
	White Bardiglio	Pattern			Satin							PF 8mm	✂			
	White Finestone	Pattern	□	Velour								PF 6mm	✂			○
	White Finestone	Pattern			AR Plus							PF 8mm	✂			
	White Kashmir	Stone			Etchings							PF 6mm	✂			○
	White Kashmir	Stone			AR Plus							PF 8mm	✂			



Formica Availability Guide - September 2018

Décor	Structure	Standard Formica Range					180fx	AR Plus Solid Colours	ColorCore	ARtouch	ARtouch	Laminate Grade Minimum radius	Cut sheets available	Melteca Match	Matching Edging
		Antimicrobial	3600 x 1500	3595 x 1395	2400 x 1200	3050 x 1220 x 1.0mm	3595 x 1395	3595 x 1395 x 1.2mm	3050 x 1220 x 1.3mm	3050x1300	3595x1395				

Cut Sheet Options													
Velour (excl Crystal White Velour) Std Sheet 3600 x 1500			GlossPlus (AR+), Honed, Etchings, Naturelle, Riverwash, Satin Std Sheet 3595 x 1395			Metallics Std Sheet 2400 x 1200			Formica 180fx Std Sheet Size 3595 x 1395			Due to the nature of the large scale design of 180fx, Laminex NZ cannot guarantee batch or pattern matching of cut sheets.	
	3600 x 750			3595 x 695			2400 x 300			3595 x 695			
	1800 x 1500			1795 x 1395						1795 x 1395			
	1800 x 750			1795 x 695									

Key	
Cut Sheets Available	
Melteca match available	=
Post Forming Grade	PF
23mm ABS Edging match	◆
43mm Acrylic Edging match	⊠
63mm Acrylic Edging match	^
23mm & 45mm ABS Edging match	○
21mm and 42mm ABS edging match	◇
42mm ABS edging match	⬆
53mm ABS edging match	⦶
Anti-microbial	□

Dispatch Times	
North Island	Orders placed before 3:30pm Mon-Fri will be dispatched same day, for delivery the following business day. Subject to availability.
South Island	Orders placed before 1:00pm Mon-Fri will be dispatched same day, for delivery the following business day. Subject to availability.

Post Forming Guide - minimum radius	
Solid Velour	8mm / 10mm
Pattern & Woodgrain Velour	6mm
GlossPlus, AR Plus, Riverwash, Etchings, Satin Honed, Naturelle & Matt	8mm
ARtouch	8mm

* Naturelle finish Recommended for light-duty horizontal and vertical interior applications only.

* GlossPlus and AR Plus finish is the same finish

* Formica® laminate is no different from any other material in that darker colours, gloss and semi-gloss finishes, such as AR Plus, GlossPlus or Etchings will show scratches and superficial wear and tear more readily than lighter colours or lower gloss finishes.

Forming in the cross direction is not recommended and is at the discretion of the fabricator