



## Laminex HPL Availability Guide - July 2018

		Anti-microbial	Std. Colour Palette		DiamondGloss	Innovations (vertical use only)			Multipurpose Compact		Lab Grade Compact (indent only)	Chemical Resistant	Diamond Gloss Matching Acrylic Edgetape Available 43mm x 2mm	ABS Matching Edgetape 53mm x 1mm	Melteca Match	Minimum Postforming radius
			0.7mm		0.7mm	0.8 - 1.3mm			13mm		16mm	0.7mm				
			3600 x 1500	3600 x 1200	3595 x 1395	3600 x 1200	2400 x 1000	2400 x 1200	1830 x 1830	3660 x 1830	3670 x 1530	3600 x 1500				
Décor	Structure	Finish														
Abyssinian Stone	Stone	<input type="checkbox"/>	Natural													4.5mm
Alaskan	Woodgrain	<input type="checkbox"/>	Natural												=	4.5mm
Alluvial Stone	Stone	<input type="checkbox"/>	Natural													4.5mm
Alpaca	Solid	<input type="checkbox"/>	Natural													8mm
Andalucian Marble	Stone			DiamondGloss												8mm
Antarctic Stone	Stone	<input type="checkbox"/>	Natural													4.5mm
Ash White	Solid	<input type="checkbox"/>	Natural											=	8mm	
Ashen	Solid									Lab Grade						-
Avenue	Pattern	<input type="checkbox"/>	Natural													4.5mm
Avignon Walnut	Woodgrain	<input type="checkbox"/>	Natural													4.5mm
Basalt	Pattern	<input type="checkbox"/>	Natural													4.5mm
Battalion	Solid	<input type="checkbox"/>							Compact	Compact						-
Battalion	Solid	<input type="checkbox"/>	Natural													8mm
Baye	Solid	<input type="checkbox"/>	Natural													8mm
Black	Solid	<input type="checkbox"/>	Spark													8mm
Black	Solid	<input type="checkbox"/>	Natural													8mm
Black	Solid			DiamondGloss									ABS	=	8mm	
Black Marble	Stone	<input type="checkbox"/>	Natural													4.5mm
Black Marble	Stone			DiamondGloss									*			8mm
Blackened Elm	Woodgrain	<input type="checkbox"/>	Natural													4.5mm
Blackened Linewood	Woodgrain	<input type="checkbox"/>	Natural											=	4.5mm	
Blackened Linewood	Woodgrain	<input type="checkbox"/>							Compact	Compact						-
Bleached Wenge	Woodgrain	<input type="checkbox"/>	Natural											=	4.5mm	
Blue Pearl Granite	Stone	<input type="checkbox"/>	Natural													4.5mm
Brescia	Woodgrain	<input type="checkbox"/>	Natural											=	4.5mm	
Brook Pebble	Stone	<input type="checkbox"/>	Natural													4.5mm
Brushed Stainless Steel	Metallic						Metallic									-
Burnished Wood	Woodgrain	<input type="checkbox"/>	Natural											=	4.5mm	
Burnished Wood	Woodgrain	<input type="checkbox"/>	Puregrain											=	4.5mm	
Catalana Marble	Pattern			DiamondGloss									*			8mm
Chalky Teak	Woodgrain	<input type="checkbox"/>	Natural													4.5mm
Charcoal	Solid	<input type="checkbox"/>	Natural													8mm
China Blue	Solid	<input type="checkbox"/>	Natural													8mm
Cocoa Nougat	Stone	<input type="checkbox"/>	Natural													4.5mm
Concrete Formwood	Pattern	<input type="checkbox"/>	Natural													4.5mm
Cosmos	Pattern	<input type="checkbox"/>	Natural													4.5mm
Dansk Maple	Woodgrain	<input type="checkbox"/>	Natural											=	4.5mm	
Deep Sea	Solid	<input type="checkbox"/>	Natural													8mm
Diamond	Pattern	<input type="checkbox"/>	Natural									Natural				4.5mm
Domain	Woodgrain	<input type="checkbox"/>	Natural											=	4.5mm	
Domain	Woodgrain	<input type="checkbox"/>	Puregrain											=	4.5mm	
Ebony Bellezza	Woodgrain	<input type="checkbox"/>	Natural													4.5mm
Ebony Macassar	Woodgrain	<input type="checkbox"/>	Natural											=	4.5mm	
Ebony Marble	Stone	<input type="checkbox"/>	Natural													4.5mm
Ebony Marble	Stone			DiamondGloss									*	∅		8mm
Eclipse	Pattern	<input type="checkbox"/>	Natural													4.5mm
Eggplant	Solid		Natural													10mm
Endula Macassar	Woodgrain			DiamondGloss									*			8mm
Energy Stream	Pattern	<input type="checkbox"/>	Natural													4.5mm
Espresso	Solid	<input type="checkbox"/>	Natural													8mm


## Laminex HPL Availability Guide - July 2018

		Anti-microbial	Std. Colour Palette		DiamondGloss	Innovations (vertical use only)			Multipurpose Compact		Lab Grade Compact (indent only)	Chemical Resistant	Diamond Gloss Matching Acrylic Edgetape Available 43mm x 2mm	ABS Matching Edgetape 53mm x 1mm	Melteca Match	Minimum Postforming radius
			0.7mm		0.7mm	0.8 - 1.3mm			13mm		16mm	0.7mm				
			3600 x 1500	3600 x 1200	3595 x 1395	3600 x 1200	2400 x 1000	2400 x 1200	1830 x 1830	3660 x 1830	3670 x 1530	3600 x 1500				
Décor	Structure				Finish											
Espresso Ligna	Woodgrain		Natural												=	7mm
Evening Shale	Pattern	<input type="checkbox"/>	Natural													4.5mm
Fossil	Solid	<input type="checkbox"/>	Natural												=	8mm
Fossil	Solid	<input type="checkbox"/>							Compact	Compact						-
F Fox	Solid		Natural													10mm
Fresh Snow	Pattern	<input type="checkbox"/>	Spark													4.5mm
Fresh Snow	Pattern	<input type="checkbox"/>	Natural													4.5mm
G Greystone	Pattern	<input type="checkbox"/>	Natural													4.5mm
Greige Textile	Pattern	<input type="checkbox"/>	Natural												=	4.5mm
Gunmetal	Solid	<input type="checkbox"/>	Natural													8mm
H Hakata	Pattern	<input type="checkbox"/>	Natural													4.5mm
H Husk	Woodgrain			Natural											=	7mm
I Infinity	Solid	<input type="checkbox"/>	Natural													8mm
Jalapeno	Pattern	<input type="checkbox"/>	Natural													4.5mm
Jerusalem Stone	Stone				DiamondGloss											8mm
Jet Terrazzo	Stone	<input type="checkbox"/>	Natural													4.5mm
J Jet Terrazzo	Stone				DiamondGloss								*			8mm
Jordan Stone	Stone	<input type="checkbox"/>	Natural													4.5mm
Juicy	Solid	<input type="checkbox"/>							Compact	Compact						-
Juicy	Solid	<input type="checkbox"/>	Natural												=	8mm
K Kashmir Granite	Stone	<input type="checkbox"/>	Natural											∅		4.5mm
K Kashmir Granite	Stone				DiamondGloss								*			8mm
Lava Mineralstone	Pattern				DiamondGloss											8mm
L Licorice Linea	Woodgrain	<input type="checkbox"/>	Natural												=	4.5mm
L Licorice Linea	Woodgrain	<input type="checkbox"/>							Compact	Compact						-
Limestone	Stone	<input type="checkbox"/>	Natural													4.5mm
Limestone	Stone				DiamondGloss											8mm
Lustrous Elm	Woodgrain	<input type="checkbox"/>	Natural													4.5mm
M Mandarin	Solid	<input type="checkbox"/>		Natural												8mm
M Mandarin	Solid	<input type="checkbox"/>							Compact	Compact						-
M Midnight	Solid	<input type="checkbox"/>	Natural													8mm
M Moleskin	Solid	<input type="checkbox"/>	Natural												=	8mm
M Moose	Pattern	<input type="checkbox"/>	Natural													4.5mm
M Mushroom Linea	Woodgrain		Natural													7mm
Natural Zebrano	Woodgrain			Natural												7mm
New Antique White	Solid	<input type="checkbox"/>	Natural													8mm
N New Ash Dust	Pattern	<input type="checkbox"/>	Natural													4.5mm
N New Graphite	Pattern	<input type="checkbox"/>	Natural												=	4.5mm
N New Graphite	Pattern	<input type="checkbox"/>							Compact	Compact						-
N Night Shadow	Solid										Lab Grade					-
Nocturne	Solid				DiamondGloss											8mm
Nocturne Oak	Woodgrain	<input type="checkbox"/>	Natural													4.5mm
Olympia Blue	Solid	<input type="checkbox"/>							Compact	Compact						-
Olympia Red	Solid	<input type="checkbox"/>		Natural												8mm
Olympia Yellow	Solid	<input type="checkbox"/>							Compact	Compact						-
Olympia Yellow	Solid	<input type="checkbox"/>		Natural												8mm
O Oyster Grey	Solid	<input type="checkbox"/>	Natural								Natural					8mm
O Oyster Grey	Solid	<input type="checkbox"/>							Compact	Compact						-
O Oyster Linea	Woodgrain	<input type="checkbox"/>	Natural												=	4.5mm
O Oyster Linea	Woodgrain	<input type="checkbox"/>							Compact	Compact						-

## Laminex HPL Availability Guide - July 2018

Laminex <sup>®</sup> Inspire your space		Anti-microbial	Std. Colour Palette		DiamondGloss	Innovations (vertical use only)			Multipurpose Compact		Lab Grade Compact (indent only)	Chemical Resistant	Diamond Gloss Matching Acrylic Edgetape Available 43mm x 2mm	ABS Matching Edgetape 53mm x 1mm	Melteca Match	Minimum Postforming radius
			0.7mm		0.7mm	0.8 - 1.3mm			13mm		16mm	0.7mm				
			3600 x 1500	3600 x 1200	3595 x 1395	3600 x 1200	2400 x 1000	2400 x 1200	1830 x 1830	3660 x 1830	3670 x 1530	3600 x 1500				
Décor	Structure		Finish													
Paper Bark	Solid	☐	Natural												=	8mm
Parchment	Solid	☐	Natural									Natural			•	8mm
Pavement	Pattern				DiamondGloss								*			8mm
Peacestone	Stone	☐	Natural													4.5mm
Peacock	Solid	☐	Natural	Natural												8mm
Pearl Grey	Solid		Natural													10mm
Peruvian Clay	Solid		Natural												•	10mm
Pewter	Solid	☐	Natural													8mm
Pillarbox	Solid	☐							Compact	Compact						-
Platinum Micro	Pattern	☐	Natural													4.5mm
Platinum Micro	Pattern	☐							Compact	Compact						-
Polar White	Solid	☐	Natural											∅	*	8mm
Polar White	Solid				DiamondGloss								*			8mm
Polar White	Solid	☐	Spark													8mm
Polar White	Solid	☐							Compact	Compact						-
Pumice	Solid	☐	Natural													8mm
Pure Calcite	Pattern	☐	Natural													4.5mm
Pure Mineralstone	Stone	☐	Natural													4.5mm
Pure Mineralstone	Stone				DiamondGloss								*	∅		8mm
Purely Purple	Solid		Natural													10mm
Q Quicksand	Pattern	☐	Natural													4.5mm
Raspberry	Solid		Natural	Natural											=	10mm
River Pebble	Stone	☐	Natural											∅		4.5mm
Roman Marble	Stone	☐	Natural													4.5mm
Roman Marble	Stone				DiamondGloss											8mm
Rural Oak	Woodgrain	☐	Natural													4.5mm
Sakkara Ivory	Pattern	☐	Natural													4.5mm
Sand Pebble	Stone	☐	Natural											∅		4.5mm
Sandy Birch	Woodgrain	☐	Natural													4.5mm
Sarsen Grey	Solid		Natural													10mm
Sassi	Pattern	☐	Natural													4.5mm
Scribe	Pattern		Natural													7mm
Seasoned Oak	Woodgrain	☐	Natural												=	4.5mm
Smoke Granite	Stone	☐	Natural													4.5mm
Sorrel	Solid	☐	Natural													8mm
Sphinx	Solid	☐	Natural	Natural												8mm
Starlight	Pattern	☐	Natural											∅		4.5mm
Starlight	Pattern				DiamondGloss								*			8mm
Stipple Hemp	Pattern	☐	Natural													4.5mm
Stipple Seal	Pattern	☐	Natural													4.5mm
Stipple Smoke	Pattern	☐	Natural													4.5mm
Stipple Smoke	Pattern				DiamondGloss								*			8mm
Sublime Teak	Woodgrain	☐							Compact	Compact						-
Sublime Teak	Woodgrain	☐	Natural												=	4.5mm
Super White	Solid	☐	Natural													8mm
Teal	Solid	☐	Natural													8mm
T Tracery	Metallic							Metallic								-
Topaz Cluster	Stone	☐	Natural											∅		4.5mm
Vapour	Solid									Lab Grade						-
V Vulcan Stone	Stone	☐	Natural											∅		4.5mm

## Laminex HPL Availability Guide - July 2018

		Anti-microbial	Std. Colour Palette		DiamondGloss	Innovations (vertical use only)			Multipurpose Compact		Lab Grade Compact (indent only)	Chemical Resistant	Diamond Gloss Matching Acrylic Edgetape Available 43mm x 2mm	ABS Matching Edgetape 53mm x 1mm	Melteca Match	Minimum Postforming radius	
			0.7mm		0.7mm	0.8 - 1.3mm			13mm		16mm	0.7mm					
			3600 x 1500	3600 x 1200	3595 x 1395	3600 x 1200	2400 x 1000	2400 x 1200	1830 x 1830	3660 x 1830	3670 x 1530	3600 x 1500					
D�cor	Structure	Finish															
	Vulcan Stone	Stone			DiamondGloss									*	�		8mm
	Washboard	Woodgrain	<input type="checkbox"/>	Natural													4.5mm
	Washed Knotty Ash	Woodgrain	<input type="checkbox"/>	Natural													4.5mm
W	White	Solid	<input type="checkbox"/>	Natural								Natural					8mm
	White Valencia	Stone	<input type="checkbox"/>	Natural													4.5mm
	White Valencia	Stone			DiamondGloss								*	�		8mm	
	Whitewashed Oak	Woodgrain	<input type="checkbox"/>	Natural												=	4.5mm
Z	Zincworks	Pattern	<input type="checkbox"/>	Natural								Natural				=	4.5mm
	Zincworks	Pattern	<input type="checkbox"/>							Compact	Compact						-

Key	
Anti-microbial	<input type="checkbox"/>
Brushed Stainless Steel can be used in horizontal applications	<span style="color: blue;">●</span>
Parchment is in the Melteca Range as Gentle Beige	<span style="color: red;">●</span>
Peruvian Clay is in the Melteca Range as Oyster	<span style="color: green;">●</span>
Polar White is in the Melteca Range as Snowdrift	*
Pure Mineralstone DiamondGloss acrylic edgetape available in 63mm x 2mm and 43mm x 2mm	*
Laminex ABS Edgetape 53mm x 1mm	�
DiamondGloss matching acrylic edgetape available in 43mm x 2mm	*

Sheet Options	Std. Colour Palette		DiamondGloss	Chemical Resistant
Full	3600 x 1500	3600 x 1200	3595 x 1395	3600 x 1500
Cut	1800 x 750	1800 x 750	1795 x 695	n/a
Cut	1800 x 1500	1800 x 1200	1795 x 1395	n/a
Cut	3600 x 750	3600 x 750	3595 x 695	n/a
Post Forming	Solids - 8mm Prints - 4.5mm	Solids - 8mm Prints - 4.5mm	8mm	15mm longitudinal

Minimum Post Forming Radius for ABS Edgetape is 30mm

Dispatch times:
Orders placed before 2.00pm Monday to Friday will be dispatched same day, for delivery the following business day. (Subject to availability)
Chemical Resistant:
Chemical Resistant is made to order with an 8 week lead time out of Australia. Minimum order for Chemical Resistant is 10 sheets per order.
Laminex Compact 6mm:
6mm Compact is indent only with a lead time of 10-12 weeks. Available in packs of 44 sheets.
Lab Grade Compact:
Lab Grade Compact is indent only with a lead time of 10-12 weeks. Available in packs of 14 sheets.

For more product information or order enquiries please phone Customer Services on 0800 303 606 to speak with a representative from Laminex New Zealand.  
If you require a sample, please phone our QuickChip Sample Service on 0800 99 99 39 or fax 0800 99 99 59.  
[www.laminex.co.nz](http://www.laminex.co.nz)