

Class 1
Caesarstone Quartz Surfaces
**Building Products Information Requirements |
 Information Sheet**

Version: Caesarstone V2 19.02.2024

Product name	Caesarstone
Product line	
Product identifier	Caesarstone

Product description

Caesarstone quartz surfaces are created from up to 90% natural quartz. Caesarstone® quartz surfaces have exceptional hardwearing properties - created from up to 90% natural quartz aggregates, organic pigments and enhanced polymer resins. Like natural stone, Caesarstone® quartz surfaces has an equally long-life span, and as a reconstituted quartz maintains consistent quality and strength.

Caesarstone is available in a range of decor's and finished and is intended for use as a benchtop, splashback, countertop and tabletop surface in residential and commercial applications.

Relevant building code clauses

B2 Durability: Performance B2.3.1 (c) 5 years.

C3 Fire affecting areas beyond the fire source — C3.4 (a)

G3 Food preparation and prevention of contamination — G3.3.2 (a)

F2 Hazardous building materials — F2.3.1

Contributions to compliance

G3 Food preparation and prevention of contamination — G3.3.2 (a) Caesarstone is non-porous (impervious), and easy to clean.

Where fire performance as detailed in NZBC Clause C - Protection from Fire, is required. Please refer specifically to: C/AS2 -C3—fire affecting areas beyond the fire source C3.4 (a)

B2 Durability: Performance B2.3.1 (c) for 5 years

Scope of use

Caesarstone is for interior use only (refer to Caesarstone Brochure for Outdoor Collection), it is suitable for horizontal benchtop and countertop applications such as food preparation surfaces and bathroom vanities.

Caesarstone is also suitable for use as a splashback.

Although less common it can also be used as a wet area / shower enclosure wall lining.

Caesarstone is fabricated by suitably qualified and approved stonemasons / fabricators.

Caesarstone Outdoor Collection – there are two (2) decors suitable for outdoor use, Palm Shade and Clearskies.

Conditions of use

Caesarstone is not intended for exterior use

- (other than Caesarstone Outdoor Collection decors)

Caesarstone must be fabricated and installed by a suitably qualified and Laminex New Zealand approved Caesarstone fabricator.

When designing, always refer to the Caesarstone Design Guide.

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Caesarstone Collections Brochure	18 April 2023	Click here
Caesarstone NZ Design Guide	09 June 2021	Click here
Caesarstone Care & Maintenance	11 July 2022	Click here
Caesarstone TDS 20mm	August 2021	Click here
Caesarstone TDS 30mm	August 2021	Click here
Caesarstone Safety Data Sheet	August 2023	Click here
Caesarstone Warranty	18 April 2019	Click here
Caesarstone Fire Test	7-598186-CV	Click here
Caesarstone Greenguard Gold	5464-420	Click here

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	CAESARSTONE AUSTRALIA PTY LTD
Manufacturer address for service	Warehouse 3a East, 400 Moorebank Ave, Moorebank NSW 2170 Australia
Manufacturer website	www.caesarstone.com.au
Manufacturer NZBN	
Manufacturer email	Sales@caesarstone.com.au
Manufacturer phone number	+61 1300 119 119

Importer location	New Zealand
Legal and trading name of Importer	Laminex New Zealand a division of Fletcher Building Products Limited
Importer address for service	810 Great South Road Penrose Auckland 1061
Importer website	www.laminex.co.nz
Importer NZBN	9429037626969
Importer email	CSC@laminex.co.nz
Importer phone number	0800 303 606

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No