

To whom it may concern,

Laminex New Zealand certifies that the attached formaldehyde emissions test (AS/NZS 4266.1: 2017) applies to Laminex Acrylic Panel.

As of October 2019, Laminex Acrylic Panel is the updated name of the product previously known as Melteca Acrylic Soft Touch

For further information, contact [sustainability@laminex.co.nz](mailto:sustainability@laminex.co.nz)



NATA Accredited Laboratory

Accreditation No: 15305

Accredited for compliance with  
ISO/IEC 17025 - Testing

**Laminex**<sup>®</sup>

a division of Laminex Group Pty Ltd ABN 98 004 093 092

## The Laminex Group Technology Centre

Postal Address: PO BOX 720, Wendouree, Vic 3355

Address: 22 Trewin St, Wendouree, Vic 3355

Telephone: (03) 5337 3613

Fax: (03) 5337 3647

**Test Report No.**  
**1822762**

**Date of Issue**  
**22/06/2018**

**Client:**  
**Laminex New Zealand**  
1 O'Rorke Rd  
Penrose  
Auckland 1642  
New Zealand

This test report shall not be reproduced, except in full,  
without written approval from The Laminex Group Technology Centre


The material contained in this report is confidential to the entity identified as 'Client' above.

Test Report No. 1822762

Date of Issue: 22/06/2018

Laminex Sample Reference No.	22762
Client Sample Reference No.	<b>Melteca Acrylic Soft Touch</b>
Product Description:	16mm MR E0 MDF core.
Surface Treatment	Decorated with White acrylic sheet both sides
Receive Date:	14/06/2018
Condition:	Good

Sample photograph



<b>Specification Standard</b>	<b>AS/NZS 1859.2:2017</b>
<b>Product Classification</b>	<b>&gt;12 to 22mm MR E0 MDF</b>

Test	Method	Unit	Result		Product limit		Compliance
			Mean	Std Dev	Limit Value	Standard Clause	
Formaldehyde Emission	AS/NZS 4266.1: 2017 Section 17	mg/L	<b>0.14</b>	0.00	<b>Maximum 0.5 (E0)</b>	6.3 Table 1	<b>PASS E0</b>

**Emission Class E0: PASS**

**Comments**

None
------

Approved Signatory:  
Laboratory Manager (J. Smolenaers)...