

Class 1
Laminex™ Timber Veneer
Building Products Information Requirements | Info. Sheet
Version: Laminex™ Timber Veneer V1 30.08.23

Product name	Laminex™ Timber Veneer
Product line	
Product identifier	Laminex™ Timber Veneer

Place of manufacture

Aotearoa New Zealand	✓
Overseas	

Product description

Laminex™ Timber Veneer is very thin slices of timber joined and pressed onto a substrate. It is available in a range of Natural species as well as Reconstituted veneer. Please refer to the Laminex™ Timber Veneer Availability Guide for substrate selections.

Relevant building code clauses

B1 Structure — B1.3.1, B1.3.2, B1.3.3 (j), B1.3.4

B2 Durability: Performance B2.3.1 (c) 5 years.

C3 Fire affecting areas beyond the fire source — C3.4 (a)

F2 Hazardous building materials — F2.3.1

Contributions to compliance

Laminex™ Timber Veneer is suitable for interior wall linings where fire performance as detailed in NZBC Clause C - Protection from Fire, is required. Please refer specifically to:

C/AS2 -C3—fire affecting areas beyond the fire source C3.4 (a)

Laminex™ Timber Veneer Natural of thickness 0.6mm or less, made with species of density less than or equal to 755kg/m³ bonded to Flameblock MDF has a material Group Number 2s as per Fire Report RFT190015.1 QA Version 8 January 2019 available on request.

Laminex™ Timber Veneer Reconstituted Dyed Veneers of thickness 0.55mm or less made from Ayous (Obeche) or Poplar bonded to Flameblock MDF has a material Group Number 2s as per Fire Report RTF190014.1 QA Version 8 January 2019 available on request.

Laminex™ Timber Veneers bonded to timber substrates achieve a Material Group 3 as per C/VM2 table A1.

B2 Durability: Performance B2.3.1 (c) for 5 years when stored, handled, used and maintained in accordance with the Laminex™ Timber Veneer Technical Data Sheet

Scope of use

- Vertical interior use
- Kitchen cabinetry
- Light wear horizontal surfaces
- Panels on furniture – commercial and residential
- Wall units
- Bar fronts
- Shop fittings and displays
- Wall linings in dry areas

Laminex™ Timber Veneer as a wall lining can be fixed using mechanical fasteners and adhesive or a third party concealed mounting system. For fabrication and installation please refer to the Melteca® FR TDS

Conditions of use

Laminex™ Timber Veneer is:

- not intended for exterior use
- not intended for use in high humidity or wet applications such as saunas or shower/wash down rooms
- not for use where the substrate could come into contact with water. Failure to keep dry will affect the performance of the panel
- not recommended for use in areas with high exposure to natural light
- is not a finished product. It will need to be finished and polished as part of the fabrication process. Advice should be sought from a coating specialist.
- not fire rated as part of a fire protected boundary or fire wall

Supporting documentation

The following additional documentation supports the above statements:

Title (type)	Version	URL
Laminex™ Timber Veneer TDS	November 2018	Click here
Laminex™ Timber Veneer Warranty	April 2019	Click here

Contact details

Manufacture location	New Zealand
Legal and trading name of manufacturer	Hallmark Group Ltd
Manufacturer address for service	355 Flaxton Rd, Rangiora, Christchurch
Manufacturer website	www.hallmarkgroup.co.nz
Manufacturer NZBN	9429037626969
Manufacturer email	Suppliers@hallmarkgroup.co.nz
Manufacturer phone number	0800846237

Manufacture location	New Zealand
Legal and trading name of manufacturer	Plyman Ltd Botica & Co Pressing Services
Manufacturer address for service	74 The Concourse, Henderson, Auckland
Manufacturer website	Plyman.co.nz
Manufacturer NZBN	942904210624
Manufacturer email	Info@plyman.co.nz
Manufacturer phone number	0902824897

Distributor location	New Zealand
Legal and trading name of distributor	Fletcher Building Products Limited (company number 952008), trading as Laminex® NZ.
Distributor address for service	810 Great South Road Penrose Auckland 1061 New Zealand
Distributor website	www.laminex.co.nz
Distributor NZBN	9429037626969
Distributor email	CSC@laminex.co.nz
Distributor phone number	0800 303 606

Warnings and bans

Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?

No
